

SUPPLEMENT TO



The Gazette of India

No. 5]

NEW DELHI, SATURDAY, FEBRUARY 4, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th January, 1956

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.

STATES PART (A) & PART (C)

Assam—contd.

Ajmer

(Estd. mid-year pop. 9,817 thousands).

(Estd. Mid-year pop. 752 thousands).

Total for w/e 31-12-55

Total for w/e 24-12-55

7-yearly mean for the week

Total for w/e 31-12-55

Total for w/e 24-12-55

7-yearly mean for the week

Bhopal

"N. R."

Bihar

"N. R."

Andhra

Visakhapatnam

Godavari East

Krishna

Guntur

Kurnool

Cuddapah

Anantapur

TOTAL

(Estd. mid-year pop. 21,238 thousands).

Total for w/e 31-12-55

Total for w/e 24-12-55

7-yearly mean for the week

Greater Bombay

Ahmedabad

Surat

Thana

Ahmednagar

East Khandesh

Sabarkantha

Mehsana

Banaskantha

TOTAL

(Estd. mid-year pop. 39,569 thousands).

Assam

Darrang

TOTAL

Total for w/e 31-12-55

Total for w/e 24-12-55

7-yearly mean for the week

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th January, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.						
Coorg												Madras—<i>contd.</i>																								
TOTAL												Tirunelveli																								
(Estd. mid-year pop. 262 thousands).	(Estd. mid-year pop. 38,273 thousands).	8	1							
Total for w/e 31-12-55	Total for w/e 31-12-55	30	6							
Total for w/e 24-12-55	Total for w/e 24-12-55							
7-yearly mean for the week	Total for w/e 31-12-55	1	..	24	2							
Delhi												7-yearly mean for the week												4	2	24	3						
Delhi City	3	7-yearly mean for the week	848	476	107	28						
TOTAL																																				
(Estd.-mid-year pop. 1,744 thousands).	3	Total						
Total for w/e 31-12-55	2	2	(Estd. mid-year pop. 613 thousands).						
Total for w/e 24-12-55	3	1	Total for w/e 31-12-55						
7-yearly mean for the week	3	1	Total for w/e 24-12-55						
Himachal Pradesh																																				
“N. R.”																																				
Madhya Pradesh																																				
Nagpur	40	12	Cuttack	8						
Chhindwara	20	7	Balasore	10						
Betul	23	3	Koraput	4						
Bhandara	1	Keonjhar						
Sagar	2	1	Dhenkanal	4						
Hoshangabad	4	Sundergarh	2						
Balaghat	1	Total	2	2	30						
Raipur	1	(Estd. mid-year pop. 15,114 thousands.)					
Amravati	2	Total for w/e 31-12-55	1	1	26	6						
Akola	16	2	Total for w/e 24-12-55	9	3	56	7						
Buldana	20	2	7-yearly mean for the week	69	38	63	13						
TOTAL																																				
(Estd. mid-year pop. 22,109 thousands).	130	27	Punjab (I)																								
Total for w/e 31-12-55	117	14	Nisar	13	4						
Total for w/e 24-12-55	116	15	Robtak	14	2						
7-yearly mean for the week	4	1	65	12	154	19	Lahjann	1						
Madras																																				
Madras Town	1	1	(Estd. mid-year pop. 7,641 thousands.)	23	6					
North Arcot	1	Total for w/e 31-12-55					
South Arcot	9	2	Total for w/e 24-12-55	22	3					
Madurur	3	7-yearly mean for the week	17	2					

Explanatory of Symbols used : C. = Cases; D. = Deaths; N. R. = Information not received; N. = Not available.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th January, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.								
Tripura												West Bengal—<i>contd.</i>																									
(Estd. mid-year pop. 706 thousands.)												(Estd. mid-year pop. 26,396 thousands.)																									
TOTAL	2	Total for w/e 31-12-55	..	58	40	34	1	Total for w/e 24-12-55	..	56	28	31	6						
Total for w/e 24-12-55	..	3	1	—	7-yearly mean for the week.	..	120	67	69	36	Grand Total for States Parts (A) & (C) (excluding Bihar, Bhopal, Himachal Pradesh and Vindhya Pradesh)	..	62	29	469	112	2						
Uttar Pradesh												Corresponding (Estd. mid-year pop. 2,56,014 thousands.)																									
Dehra Dun	11	5	Corresponding Total for w/e 31-12-55	..	101	55	435	108	Corresponding Total for w/e 24-12-55	..	89	43	481	86						
Mathura	1	Corresponding 7-yearly mean for the week.	..	1,152	641	796	219	192	39	Corresponding 7-yearly mean for the week.						
Mainpuri	8	2	STATES PART (B)																									
Shajhanpur	1	Hyderabad	Hyderabad	9	4						
Pilibhit	7	1	Khammam	Khammam	4	2						
Etawah	4	5	TOTAL	TOTAL	13	6						
Allahabad	6	6	Jammu and Kashmir																									
Jalaun	5	1	"N. R."																									
Mirzapur	4	Madhya Bharat																									
Jaunpur	2	"N. R."																									
Azamgarh	7	2	"N. R."																									
Gahwal	1	1	Mysore																									
Kheri	5	5	Kolar																									
Bahraich	2	Mandya																									
Sultanpur	29	3	Bellary																									
Rampur	1	TOTAL																									
TOTAL	84	31	2	Vindhya Pradesh																									
(Estd. mid-year pop. 66,780 thousands.)												"N. R."																									
Total for w/e 31-12-55	58	33	Patiola and East Punjab States Union																									
Total for w/e 24-12-55	73	27	TOTAL																									
7-yearly mean for the week	146	51	38	20	Gohitwad																									
West Bengal												Zalawad																									
Burdwan	1	TOTAL																									
Birbhum	10	6	Gajeshwar																									
Midnapur	2	1	"N.R."																									
Hughly	1	Surasena																									
Nadia	20	11	7	Gohitwad																									
Malda	5	2	Zalawad																									
West Dinapur	4	TOTAL																									
TOTAL	..	40	4	4	Gajeshwar																									

¹Report on 7th Jan. 1956; (1) = Cases; (2) = Deaths; (3) = Nil; (4) = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th January, 1956—concl.

	CHOLERA SMALLPOX PLAGUE						CHOLERA SMALLPOX PLAGUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Travancore-Cochin						Madhya Pradesh						
TOTAL	9	1	w/e 31-12-55					
Grand Total for States Part (B)	7	5	35	9	7	1	Nagpur	4
Grand Total for States Parts (A), (B) and (C)	69	34	504	121	9	1	Betul	46	6	..
ARREAR INFORMATION						Bhopal						
Bombay						Sagar	10	1	..	
w/e 31-12-55						Hoshangabad	9	2	..	
Greater Bombay	2	1	..	Bhandara	1	
Ahmedabad	22	2	..	Balaghat	2	
Banaskantha	2	Amravati	7	
Sabarkantha	8	1	..	Akola	27	4	..	
Surat	26	13	..	Buldhana	11	1	..	
Ahmednagar	14	5	..	TOTAL	117	14	..	
East Khandesh	4	Vindhya Pradesh						
Nasik	1	TOTAL	28	5	..	
Satara North	1	POLIOMYLETIS						
Sholapur	3	(Information based on patients treated in hospitals in important towns)						
TOTAL	83	22	..	Places	Period	Cases				
						Punjab	16—31 Dec. 1955	5 (Paretic)				
						Uttar Pradesh	1—15 Dec. 1955	1 (..)				
Explanation of Symbols used:—C.—Cases; D.—Deaths; .. = Nil.												

New Delhi-2 (India); }
The 30th January, 1956. }

K. MITRA,

for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 18,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,800/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 686

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th January, 1956

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
------	---------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

STATES—(Parts A and C)

Ajmer

“N.R.”

Andhra

Adoni	63	42	34.7	2	4	..	12	9.9	3	
Anantpur	38	15	20.5	1	2	..	8	10.9	1	
Anakapalli	46	27	30.5	6	5	4	24	27.1	4	
Bhimavaram	36	17	24.6	1	3	..	9	13.0	1	
Chirala †														
Chittoor	45	20	23.1	1	..	2	15	17.3	2	
Cuddapah	42	9	11.1	4	6	..	17	21.1	2	
Eluru	99	23	12.1	3	17	8.9	2	
Gudivada	36	33	477	1	12	17.3	3	
Guntur	147	105	37.2	..	1	4	3	2	39	18.8	15	
Guntakal	37	27	37.9	1	6	8.4	4	
Kakinada	113	55	25.3	..	2	4	1	..	31	14.3	11	
Kurnool	68	52	39.8	..	1	3	2	4	26	19.9	5	
Masulipatnam	88	39	17.7	2	..	3	22	13.0	5	
Nandyal	37	19	26.7	1	3	..	5	7.0	..	
Nellore	95	73	39.9	2	4	3	..	41	22.4	11
Prodadatur †														
Rajahmundry	122	55	23.4	..	2	8	1	2	..	39	16.6	7
Tenali	67	51	39.6	2	1	..	15	11.6	5	
Vijayavada	201	98	25.4	2	4	5	40	10.4	18	
Visakhapatnam	128	79	32.1	6	1	14	..	41	16.7	6
Vizianagaram	75	44	30.5	3	1	4	..	34	23.6	7
TOTAL	1,583	874	28.7	..	6	..	47	35	62	3	453	14.9	112	

Assam

“N.R.”

Bhopal

Bhopal City	116	96	43.0	3	..	3	..	10	4.5	..
-------------	-----	----	------	----	----	----	---	----	---	----	----	-----	----

Bihar

Arrah	70	10	7.4	3	1	6	4.5	..
Bihar	68	20	15.3	4	7	5.4	..
Bettiah	38	11	15.1	2	5	6.8	2
Bhagalpur	126	26	10.7	5	20	8.3	..
Chapra †													
Darbhanga	93	27	15.1	2	..	2	..	5	2.8	..
Dhanbad	41	9	11.4
Dinapur	44	8	9.5	1	1	3	3.6	..
Gaya	149	31	10.8	..	4	..	19	4	15	1	66	23.0	..
Hazaribagh	39	7	9.3	4	5.3	1
Jamalpur	47	12	12.3	1	2	2.2	..
Jamshedpur	246	83	17.5	1	7	..	27	5.7	11
Katihar †													
Monghyr	80	18	11.7	2	..	2	..	7	4.6	..
Muzaffarpur	84	50	31.0	3	..	15	9.3	..
Patna	330	162	25.5	..	1	..	7	1	1	..	48	7.6	..
Purulia	47	7	7.7	1	3	3.2	1
Ranchi	130	15	6.0	8	..	1	..	14	5.6	2
TOTAL	1,632	496	15.8	..	5	..	55	6	31	3	232	7.4	17

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers (D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths included in total deaths); ..=Nil information; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th January, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay													
Ahmedabad	889	822	48.1	11	12	69	..	281	16.4	105
Ahmednagar	88	48	28.4	3	3	..	13	7.7	4
Amalner	50	30	31.2	4	..	1	..	6	6.2	1
Bagalkot	36	24	34.6	3	14	20.2	3
Baroda	242	208	44.7	14	1	13	..	62	13.3	13
Barsi	46	22	24.9	10	24	27.1	3
Belgaum	110	28	13.2	9	1	8	..	25	11.8	3
Bhusawal†	75	71	49.2	5	..	3	1	16	11.1	..
Bijapur
Broach	67	38	29.5	3	..	2	..	19	14.7	..
Cambay	41	39	49.5	2	2	..	21	26.1	9
Challgaon	35	26	38.6	1	..	1	..	4	5.9	1
Dharwar	76	39	26.7	2	1	12	8.2	1
Dhulia	89	64	37.4	5	..	6	..	19	11.1	3
Gadag Betgeri	71	51	37.4	8	1	5	..	23	16.9	6
Godra	40	33	42.9	7	..	1	..	12	15.6	..
Greater Bombay	3,449	1,452	21.9	3	32	129	..	659	9.9	16
Hubli	148	52	18.3	3	12	4.2	2
Jalgaon	79	31	20.4	4	7	4.6	2
Kalyan†
Kolhapur	159	110	35.9	1	5	4	..	44	14.4	15
Malegaon	63	38	31.2	11	..	1	..	17	14.0	5
Mira	44	18	21.3	4	..	7	8.3	..
Nadiad	71	69	50.5	18	..	1	..	27	19.7	8
Nandurbar	35	23	31.3	3	..	1	..	13	19.3	2
Nasik	119	46	20.1	3	1	4	2	37	16.2	6
Navasari	50	40	41.6	5	12	12.5	1
Pandharpur	44	28	33.1	3	1	6	..	35	17.7	5
Patan	47	36	39.8	..	1	..	6	..	4	..	21	23.2	4
Poona	607	244	20.9	2	5	33	3	136	11.7	38
Sangli†	40	24	31.2	2	16	20.8	2
Satara	299	258	44.9	13	6	27	..	86	14.9	17
Sholapur
Surat	250	214	44.5	..	10	..	18	1	18	2	120	24.9	43
Thanat†
TOTAL	7,459	4,226	29.5	..	11	..	174	71	352	10	1,780	12.4	465

Delhi State

Delhi City	1,124	690	31.9	44	5	51	3	174	8.0	..
New Delhi	374	603	83.8	7	2	10	..	146	20.3	..
N.A.C. Civil Station, Delhi	117	106	47.1	1	3	1	2	19	8.4	7
Delhi Cantt.	50	19	19.8
Delhi-Shahdara	53	44	43.2	5	5.0	..
TOTAL	1,718	1,462	44.3	52	10	63	5	344	10.4	93

Madhya Pradesh

Achalpur†
Akola	104	79	39.5	18	1	5	2	41	20.5	9
Amravati	101	74	38.1	5	2	6	2	28	14.4	11
Bilaspur	40	32	41.6	7	..	1	2	16	20.8	3
Burhanpur	79	53	34.9	6	..	3	..	13	8.6	..
Chanda	43	27	32.7	4	6	1	..	11	13.3	4
Chindwara	31	24	40.2	9	..	2	..	23	38.6	7
Damoh	42	13	16.1	5	..	1	..	9	11.1	..
Gondia	45	31	35.8	5	..	2	..	10	11.6	2
Hinganghat†
Jabalpur†
Khandwa	59	12	10.6	3	4	3.5	..
Khangaon†
Kamptee†
Murwara†
TOTAL	36	34	49.1	3	7	10.1	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (Included in total death); **—N.I. information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th January, 1956—*contd.*

Deaths from :-

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh—<i>contd.</i>													
Nagpur	528	223	22.0	..	2	..	22	2	11	1	66	6.5	5
Sagar	75	39	27.0	..	2	..	4	..	1	..	9	6.2	..
Raipur†													
Raigarh	35	218	41.6	1	4	5.9	2
Wardha†													
Yeotmal	41	22	27.9	4	1	12	15.2	6
TOTAL	1259	691	28.5	..	4	..	96	12	31	9	253	10.5	49
Madras													
"N. R."													
Orissa													
Berhampur	72	95	68.8	..	—	..	3	4	1	..	17	12.3	6
Cuttack	117	128	57.1	7	1	8	..	45	20.1	6
	53	25	24.6	7	..	1	..	19	18.7	9
TOTAL	242	248	53.3	17	5	10	..	81	17.4	21
Punjab (I)													
Ambala	65	56	45.1	1	11	..	18	14.5	9
Amritsar	343	249	38.0	7	..	1	..	9	7.6	3
Batala	62	42	35.4	6	25	..	73	11.1	16
Bhiwani	57	50	45.9	..	4	..	8	1	16	14.7	4
Ferozepore	45	27	31.4	2	1	3	..	6	7.0	2
Hissar	39	34	45.6	3	..	3	..	7	9.4	4
Hoshiarpur	51	35	35.9	1	..	6	6.2	3
Jullundur	200	194	50.7	4	3	20	..	34	8.9	12
Karnal	72	33	24.0	4	..	1	..	11	8.0	2
Ludhiana	176	160	47.5	19	..	2	..	35	10.4	10
Moga	41	34	43.4	1	..	9	..	13	16.6	4
Panipat	64	39	31.9	3	1	3	..	9	7.4	7
Pathankot	34	30	46.2	1	1	3	..	9	13.8	4
Rewari	36	30	43.5	3	..	5	7.3	1
Rohtak	105	75	37.4	6	1	7	..	15	7.5	4
Simla	50	11	11.5	1	..	21	2.1	1
Sonipat	34	30	46.2	4	6	9.2	2
TOTAL	1,474	1,129	40.0	..	4	..	62	15	93	..	274	9.7	88
Uttar Pradesh													
Agra	375	609	84.4	1	49	..	66	9.2	18
Allahabad	349	220	32.8	2	1	25	1	60	8.9	19
Amroha	61	56	47.7	1	9	..	17	14.4	7
Bahraich	47	18	19.9	7	11	12.1	2
Banaras	383	356	48.3	..	1	..	52	9	19	1	202	27.4	62
Ballia	35	2	3.0	1	2	3.0	..
Banda	32	23	37.5	2	..	3	4.9	2
Bareilly	203	108	27.6	6	4	12	..	36	9.2	4
Bijnor	32	17	27.6	1	8	13.0	1
Budaun	54	42	40.5	1	1	3	..	10	9.6	5
Basti†													
Bulandshahr†													
Chandauli	41	38	48.2	2	1	1	1	16	20.3	8
Dehra Dun	146	136	48.4	1	3	4	..	22	7.8	7
Etawah	64	29	23.5	5	1	3	..	14	11.4	5
Falzabad-Ayodhya	88	37	21.8	1	2	..	7	4.1	1
Farrukhabad-Fategarh	82	41	26.0	7	3	11	..	26	16.5	11
Ferozabad	79	56	36.8	10	..	2	..	17	11.1	1
Ghaziabad	46	38	42.9	5	8	9.0	2
Ghazipur	36	21	30.4	4	2	13	18.8	..
Gorakhpur	140	59	21.9	12	3	2	..	27	10.0	10

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Diphtheria and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th January, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn.—Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Uttar Pradesh—<i>contd.</i>													
Gonda	35	16	23.7	1	..	1	1.4	..
Hapur	49	36	38.2	3	2	2	..	13	13.7	6
Hardwar	64	38	30.9	4	3	3	..	17	13.8	6
Hathras	62	65	54.5	9	2	9	..	26	21.8	12
Jaunpur	56	30	27.9	3	..	3	..	10	9.3	1
Jhansi	116	102	45.7	26	2	4	..	38	17.0	13
Kanpur	734	443	31.3	125	23	54	9	343	24.2	90
Kasganj	34	13	19.9	3	4	6.1	..
Khurja	41	15	19.5	1	..	4	..	10	13.0	..
Koil-Aligarh	150	58	20.1	10	2	9	..	29	10.2	6
Lucknow	494	291	30.6	11	12	23	..	170	17.8	44
Mathura	110	110	52.0	11	..	8	..	31	14.0	5
Mau-Nath Bhanjant†													
Meerut	185	175	49.2	11	2	10	..	28	7.8	3
Mirzapur Vindhyaachal	97	50	26.8	8	2	20	10.7	6
Moradabad	164	150	47.6	6	6	19	..	56	17.7	17
Muzaffarnagar	74	37	26.0	6	..	4	..	13	9.1	4
Pilibhit	45	36	41.7	3	3	1	..	6	6.9	2
Rampur†													
Saharanpur	162	139	44.6	39	..	2	..	56	17.9	12
Sambhal	65	51	40.8	6	3	11	..	25	20.0	5
Shahjahanpur	99	79	41.4	5	1	10	1	24	12.6	8
Sitapur	49	22	23.3	2	..	5	..	9	9.5	7
TOTAL	5,178	3,862	38.8	..	1	..	408	91	331	13	1,494	15.0	412

West Bengal

Asansol†													
Baldyabat†													
Bally	66	11	8.7	1	1	0.8	..
Bankura	50	30	31.4	1	2	2.1	..
Bansberia†													
Barenagar	90	38	22.1	2	1	4	..	14	8.1	..
Basirhat	39	7	9.4
Berhampur	64	49	40.0	1	1	1	..	8	6.5	1
Bhadreshwar	34	8	12.3	2	3	4.6	..
Bhatpara	143	13	4.8	8	21	7.7	7
Budge Budge	32	12	19.6	1	2	3	4.9	..
Burdwan	82	15	9.6	1	..	4	2.6	..
Calcutta	2,984	1,313	23.0	35	58	178	4	712	12.5	206
Caupdani	41	23	29.3	3	..	7	8.9	..
Cooch Behar†													
Darjeeling†													
English-Bazaar†													
Garden Reach†													
Halishahar	41	3	3.8	3	3.8	..
Hoogly-Chinsurah	60	70	61.0	3	2	2	..	16	13.9	2
Howrah	477	252	27.6	2	10	41	1	131	14.4	47
Jalpaiguri†													
Kamarhati†													
Kanchrapara	74	2	1.4	1	1	0.7	..
Krishnagar	56	2	1.9	..
Midnapore	45	34	39.5	1	1	11	12.8	..
Nabadwip	70	33	24.6	4	7	5.2	2
Naihati	62	11	9.3	3	2	..	2	..	8	6.7	..
North Barrackpore	36	8	11.6	2	1	1	..	4	5.8	..
Pandharpur†													
Shantipur†													
Serampore	83	25	15.7	2	3	5	..	25	15.7	6
Siliguri†													
South Dum Dum	83	4	2.5	2	1.3	..
South Suburban	124	39	16.4	1	6	..	7	3.0	2
Titagarh	78	32	21.5	5	..	2	..	9	6.0	..
TOTAL	4,914	2,032	21.6	3	72	79	248	7	1,601	10.6	27

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th January, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES—(Part B)														
Jammu & Kashmir														
Madhya Bharat														
Mysore														
Bangalore	973	801	42.8	9	57	85	..	262	14.0	..	
Mysore	294	205	41.8	7	5	5	..	47	9.6	..	
Kolar Gold Fields	173	78	23.4	4	5	8	..	57	17.1	..	
Davanagere	69	31	40.9	1	10	13.2	..	
TOTAL		1,509	1,115	38.4	21	67	98	..	376	13.0	..	
PEPSU														
Patiala City	111	71	33.3	8	..	7	1	27	12.6	12	
Malerkotla	34	24	36.7	3	1	7	10.7	1	
Bhatinda	39	24	32.0	1	1	1	2	2.6	2	
TOTAL		184	119	33.6	11	..	8	2	36	10.2	15
Rajasthan														
Alwar	60	47	40.7	1	..	1	..	10	8.7	3	
Bharatpur †	117	50	22.2	..	3	..	4	2	9	..	26	11.6	3	
Bikaner	
Churu	48	3	3.2	1	..	2	2.2	..	
Ganganagar	47	1	..	4	4.4	..	
Tonk	45	8	9.2	1	..	5	5.8	..	
Kotah	72	11	7.9	6	1	2	1	14	10.1	1	
Sikar †	
Jaipur	353	61	8.9	15	2	16	1	101	14.9	20	
Udaipur †	200	36	9.4	10	..	5	..	21	5.5	..	
Jodhpur	
TOTAL		942	216	11.9	..	3	..	36	5	36	2	183	10.1	27
Travancore-Cochin														
Alleppey	148	58	20.4	4	1	1	..	18	6.3	3	
Changanacherry †	
Ernakulam	70	28	20.9	3	1	1	..	21	15.6	2	
Kottayam †	
Mattanchery	85	59	36.1	1	14	8.6	..	
Nagercoil	94	56	31.0	3	1	16	8.5	..	
Quilon	75	105	72.8	1	12	8.3	2	
Trichur	76	27	18.5	2	2	2	..	13	8.9	2	
Trivandrum City	218	610	145.5	7	1	4	..	54	12.9	10	
TOTAL		766	943	64.0	20	7	8	..	148	10.0	19
Saurashtra														
Bhavnagar	157	91	30.1	17	2	8	..	41	13.6	8	
Dhoraji	47	28	30.9	3	..	1	..	6	6	..	
Gondal	41	23	29.2	—	—	..	5	1	13	16.4	2	
Jamnagar	122	25	10.7	7	..	3	..	25	10.7	6	
Junagadh	65	43	34.4	9	1	2	..	25	20.0	8	
Morvi	43	13	15.7	2	1	5	6.0	2	
Porbandar	64	16	13.0	1	2	..	1	13	10.5	5	
Rajkot	167	99	30.8	9	6	10	2	45	14.0	16	
Surendranagar	42	18	22.3	2	1	5	10.2	2	
Veraval †	
TOTAL		748	356	24.7	—	53	13	26	4	178	12.4	47

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total Deaths) ; .. = Nil Information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th January, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Hyderabad													
Aurangabad	73	7	1.0	1	..	2	..	3	1.8	..
Bidar†	90	9	0.1	4	..	4	..	13	0.1	..
Gulberga
Hyderabad City	1,058	80	3.9	24	2	19	..	99	4.9	10
Jalna†
Kothagudiam	71	15	11.2	3	2.6	..
Latur	41	2	3.0	2	..	2	4.0	..
Nanded	80	16	7	9	..	2
Nizambad	67	12	3.9	1	..	2	..	6	2.6	3
Parbhani	40	6	9.8	2	..	2	..	4	2.3	..
Raichur†
Secunderabad City	162	139	44.6	4	2	8	..	38	12.1	7
Warangal	155	28	9.4	8	3	11	3.6	..
TOTAL	1,837	314	8.9	51	7	39	..	188	5.3	22

ARREAR RETURNS

Madhya Pradesh		For w/e 31st December, 1955											
Wardha	45	25	28.9	1	2	..	6	6.9
Chhindwara	30	30	52.0	1	1	..	12	20.8	4	..
Jabalpur	231	109	24.5	14	..	15	..	39	8.8	..
Murwara	38	6	8.2	3	4.1
Khandwa	58	22	19.7	3	1	..	11	9.9
Burhanpur	77	52	35.1	3	2	2	..	16	10.8	..
Bilaspur	40	33	42.9	2	..	11	..	13	16.9	3
Gondia	44	36	42.5	3	9	10.6	2
Amravati	98	70	37.1	2	..	3	..	20	10.6	6
Yeotmal	40	35	45.5	3	5	3	..	22	28.6	5
Akola	101	70	36.6	9	35	18.0	6
Raigarh	34	24	36.7	4	1	1	..	11	16.8	1
TOTAL	836	3512	1.8	44	11	38	1	197	12.3	27

Madhya Pradesh		For w/e 5th November 1955											
Hinganghat	35	32	47.5	4	2	17	25.2	3
<i>For w/e 12nd November 1955</i>													
Hinganghat	35	26	38.6	3	..	1	..	11	16.3	1
<i>For w/e 19th November 1955</i>													
Hinganghat	35	25	37.1	5	12	17.8	1
<i>For w/e 3rd December 1955</i>													
Jabalpur	231	109	24.5	20	2	8	..	45	10.1	..
Murwara	38	4	5.5	1	3	4.1	..
<i>For w/e 10th December 1955</i>													
Jabalpur	231	120	27.0	10	2	7	..	34	7.7	..
Murwara	38	8	10.9	2	5	6.8	..
<i>For w/e 17th December 1955</i>													
Wardha	45	30	34.7	2	1	1	..	7	8.1	..
Jabalpur	231	66	14.9	10	1	9	..	34	7.7	..
Murwara	38	5	6.8	2	2.7	..
<i>For w/e 24th December 1955</i>													
Wardha	45	24	27.7	1	9	10.4	2
Jabalpur	231	152	34.2	26	3	15	..	54	12.2	..
Murwara	38	8	10.9	2	2.7	..
<i>For w/e 17th December 1955</i>													
Damoh	41	13	16.5	3	1	1	..	8	10.1	..
Khamgaon	41	28	35.5	4	8	10.1	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th January 1956—concl'd

Deaths from:—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madras														
					<i>w/e 31st December 1955</i>									
Ambur		44	31	36.6	7	20	8.3	
Aruppukottai		54	37	35.6	5	6	2	..	20	19.3	8
Bodinayakanur†														
Cannanore		46	27	30.5	1	..	3	..	12	13.6	1
Chidambaram		38	55	75.3	2	2	16	21.9	3
Coimbatore		227	262	60.0	2	17	14	..	89	20.4	38
Cuddalore		73	102	72.7	2	9	4	1	32	22.8	5
Dindigul		88	85	50.2	2	5	7	..	31	18.3	6
Erode		65	65	52.0	2	2	13	10.4	4
Gobichettipalayam†														
Guddiyattam†														
Kancheepuram		89	71	41.5	3	18	1	44	25.7	14
Karaikudi†														
Karur		48	41	44.4	2	4	14	15.2	3
Kozhikode		173	196	58.9	5	1	9	..	63	18.9	10
Kumbakonam		102	129	65.8	2	1	3	3	26	13.3	5
Madras		1,649	1,318	41.6	66	121	160	3	713	22.5	208
Mangalore		133	131	51.2	4	3	7	1	48	18.8	6
Mathurai		415	318	39.8	12	14	52	..	180	22.6	48
Mayuram		48	114	123.5	1	6	5	57	61.7	9
Nelapalayam		40	24	31.2	2	3	10.4	4
Nagapattinam		60	69	59.8	3	2	2	1	33	28.6	12
Ottacamund		46	39	44.1	5	5	..	9	10.2	5
Palani		39	39	52.0	3	5	..	19	25.3	10
Palayamkottai†														
Paigahat		44	66	78.0	3	1	5	2	41	48.5	12
Periyakulam		76	67	45.6	1	2	2	1	23	15.7	4
Periyakulam		33	20	31.5	2	3	..	17	26.8	3
Pollachi		49	61	64.7	1	2	1	1	22	23.3	7
Pudukottai		49	68	72.2	1	5	2	..	35	37.1	6
Rajapalayam		67	52	40.4	1	11	6	..	37	28.7	6
Salem		234	143	31.8	8	8	15	1	65	14.4	5
Srirangam		41	73	92.6	1	3	4	..	19	24.1	10
Srivilliputthi		43	19	23.0	2	6	1	..	22	26.6	6
Tanjore		115	216	97.7	2	2	1	..	47	21.3	10
Telllicherry		42	44	54.5	2	1	4	1	21	26.0	4
Tiruchirappalli		245	194	41.2	3	10	8	..	83	17.6	14
Tirunelveli		79	69	45.4	4	4	..	25	16.5	8
Tiruppur		61	69	58.8	1	1	2	..	17	14.5	5
Tiruvannamalai		44	35	41.4	4	3	..	19	22.5	9
Tuticorin		109	115	54.9	1	8	14	2	64	30.5	21
Vaniyambadi		42	35	43.3	4	..	1	1	16	19.8	4
Vellore		121	128	55.0	5	8	..	41	17.6	11
Villupuram		39	33	44.0	1	..	2	..	19	25.3	4
Virudhunagar		51	36	36.7	3	4	5	..	27	27.5	5
TOTAL		5,061	4,696	48.2	145	273	393	26	2,094	21.5	563

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 7th January, 1956 relate to 213 towns with an estimated population of 31,561 thousands. The total number of towns is 312 and their population is 40,252 thousands. Thus 68% of the total number of towns representing 78% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,179 and 6,655 representing birth and death rates of 30.0 and 11.0 per thousand of population respectively.

(a) *States (Parts A & C).*—The data here relate to 172 towns with an estimated population of 25,575 thousands. Information about Ajmer, Assam and Madras could not be included. The total number of towns is 251 and their population is 33,402 thousands. Thus 69% of the total number of towns representing 77% of the total population is covered. The number of births and

deaths recorded in these towns were 15,116 and 5,922 representing birth rates and death rates of 30.7 and 12.0 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 41 towns with an estimated population of 5,986 thousands. The total number of towns is 61 and their population is 6,850 thousands. Thus 68% of the total number of towns representing 78% of the total population is covered. The number of births and deaths recorded in these towns were 3,063 and 733 representing birth and death rates of 26.6 and 6.4 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 7-1-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	28.7	14.9	26.1	11.8	†	†
Bhopal . . .	43.0	4.5	N.R.	†	†	†
Bihar . . .	15.8	7.4	18.1	6.2	13.9	5.5
Bombay . . .	29.5	12.4	30.7	11.8	34.4	19.0
Delhi . . .	44.3	10.4	29.1	8.6	35.3	11.2
Madhya Pradesh . .	28.5	10.5	32.7	11.7	31.7	17.3
Orissa . . .	53.3	17.4	45.0	17.6	37.8	29.2
Punjab (I) . .	40.0	9.7	37.3	10.7	29.2	11.4
Uttar Pradesh . .	38.8	15.0	33.5	14.2	32.7	17.3
West Bengal . .	21.6	10.6	18.5	10.0	19.2	14.0
India (Only States) . .	30.7	12.0	32.2	13.8	33.5	17.5
Parts A and C)			† Figures not available.			

NEW DELHI-2 (INDIA) ; }
The 30th January, 1956. }

K. MITRA,
for Registrar General, India.